

CBL-240-6-RA



Six Feet Low Loss Coaxial Antenna Cable

- LMR240 Cable
- One Reverse Polarity SMA connector
- One Right-Angle N-Type connector

Ordering Information


CPN	Description
949-00152	6 ft Low Loss Coaxial Antenna Cable, 0.240", Reverse Polarity SMA Male to Right Angle N-Male

Technical Specifications

ELECTRICAL		MECHANICAL	
FREQUENCY RANGE	DC to 6.5 GHz	CONNECTOR 1	Reverse Polarity SMA Male
VSWR	1.16:1 @ 2 GHz 1.17:1 @ 5 GHz 1.20:1 @ 6 GHz 1.52:1 @ 7.2 GHz	CONNECTOR 2	Right Angle N-Type Male
INSERTION LOSS	-0.94 dB @ 2 GHz -1.84 dB @ 5 GHz -1.84 dB @ 6 GHz -2.34 dB @ 7.2 GHz	LENGTH	6 feet / 1.83 m
RETURN LOSS	≥18 dB	DIAMETER	0.240 inch / 6.1 mm
IMPEDANCE	50 Ohms	WEIGHT	0.3 lbs / 140 g
MAX VOLTAGE	1500 VMS	ENVIRONMENTAL	
		TEMPERATURE RANGE	-40 to +85 °Celsius
		COMPLIANCE	
		RoHS	Compliant

Drawing

Item	
1	N-Type Male Connector
2	LSR240 Cable – Black
3	Heat shrinkable tube – Black
4	RP-SMA Male connector



ABOUT PROXIM WIRELESS:

Proxim Wireless is a global leader in advanced wireless broadband and WiFi solutions that deliver high performance and high availability communications. Celebrating 40 years of pioneering wireless solutions, Proxim is recognized for unparalleled reliability, superior performance, and drive for innovation.

© 2023 Proxim Wireless Corporation. All rights reserved. Proxim is a registered trademark and the Proxim logo is a trademark of Proxim Wireless Corporation. All other trademarks mentioned herein are property of their respective owners. Specifications are subject to change without notice.